UXIANG Home | About Us | Products | Production Line | Quality Control | Contact Us



Sanitary Napkins Panty Liners Baby Diaper Adult Diapers Other Products PDF Catalogue



YX-HY-180D Three-folding Independent Packaging Winged Sanitary Napkin **Production Line**













Function & Assemble Parts:

- 1. It can produce ultra-thin type(silk thin type), cotton core type economical or stereo-protection sanitary napkin.
- 2. Independent packing: sanitary napkin after being molded is three-folded and input into square outer package film and become package style after being sealed. Products are well-sealed.
- 3. By cutting off operation of small package machine, it can produce product without outer packaging.
- 4. Material for stereo-protection and three-piece is complex and molded on machine with hitting dot on short-cut guide-flow cloth. Stereo U type is adjustable.

Structure & Character:

- 1. Driving system is reasonable in structure: it consists of gearwheel box, universal shaft couplings and arc gear synchronous belt with good synchronization, stable driving and high mechanical efficiency.
- 2. In production, conveyance of jumbo roll takes vacuum absorption to guarantee stability of material tension.
- 3. Molding and positioning procedure of products are aft equipped with electric differential devices to conduct regulation without stopping machine.
- 4. Main drive components' are installed in the backboard of equipment to prevent driving against shake and fadfitate adjustment and maintenance.
- 5. Material stuffer is in manual expanding to facilitate material stuffing and accurate positioning.

Main Technical Parameter:

- 1. Designed production speed: 500PCS/min
- 2. Stadle Production speed:

Without package 400~450PCS/min

Tri-sold packaging 300~400 PCS/min

- 3. Machine power: 48Kw(380V, 50Hz)(include glue applicators.)
- 4. Overall size of equipment (L x W x H m): 73 x 2. 1 x 2.15
- 5. Weight of equipment: about 15 t

>> Back